


PERMANENT

PREMIUM

TIRE SEALANT



APPLICATION GUIDE

©BDI 2014

THIS APPLICATION GUIDE IS FOR TIRE SEALANTS THAT COAT THE ENTIRE INNER SURFACE AREA OF THE TIRE AND RIM

PLEASE READ THIS PAGE CAREFULLY BEFORE SEALANT INSTALLATION

Premium Tire Sealant Must Be Allowed To Thoroughly Coat the Inside Of The Tire And Rim Before Complete Tire Protection Is Achieved. After Installation, The Vehicle Must Be Driven Or The Tire Must Be Rotated Slowly Several Times In Order To Coat The Tire.

Choose the Correct Heading for the Type of Tire You Are Treating, Over The Road - High Speed or Off Road - Low Speed. The Same Size Tires May Be Found In Different Sections.

Most ATV's and UTV's Should Just Use The Off Road - Low Speed Section.

The High Speed ATV/UTV Section Is For Vehicles That Regularly Travel Over 40mph/65kph On Smooth Or Paved Surfaces.

If You Want To Balance A Tire With Wheel Weights, The Tire Must Be Balanced Prior To Sealant Installation.

High Speed Steer Axle Tires Should Be Either 10 Ply Or Heavier, Or They Should Be On 19.5" Rims Or Larger With Standard Sidewalls (Not Extreme Low Profile, Rubber Band Type Tires) In Order For The Sealant To Self Balance In The Steer Tires.

Do Not Apply More Than The Recommended Sealant Amount In Standard Ply High Speed Tires (Over 40 mph / 65 kph).

Not Recommended For Use As Preventative Maintenance In Compact Cars

- Do Not Install Through Valve Stems With TPMS Sensors
- Not For Use With Liquid Ballast Tires

ESTIMATING FORMULAS FOR TIRE SIZES NOT FOUND IN THIS GUIDE

OVER THE ROAD - HIGH SPEED

Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

OFF ROAD - LOW SPEED

Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 5 = Ounces Per Tire

COMMON TIRE SIZES

HIGH SPEED TIRES (OVER 40 MPH / 65 KPH)		OFF ROAD - LOW SPEED TIRES		OFF ROAD - LOW SPEED TIRES		OFF ROAD - LOW SPEED TIRES	
15" Light Duty Trailer	20 oz.	Golf Cart	20 oz.	Road Grader 13 - 24	118 oz.	Loader 17.5 - 25	179 oz.
16" Light Duty Trailer	24 oz.	ATV	32 oz.	Back Hoe 14.9 - 24	141 oz.	Loader 20.5 - 25	221 oz.
Heavy Duty Truck 11 - 22.5	46 oz.	Zero Turn Mower	48 oz.	Back Hoe 16.9 - 24	166 oz.	Loader 23.5 - 25	266 oz.
Heavy Duty Truck 11 - 24.5	49 oz.	11L - 15	69 oz.	Pivot 11.2 - 22.5	92 oz.	Loader 41.25/70-39	664 oz.
Super Single Truck 445/50 - 22.5	59 oz.	11L - 16	72 oz.	Pivot 11.2 - 24	96 oz.	Loader 45/65-45	772 oz.
Float Truck Tire 425/65 - 22.5	66 oz.	Skid Steer 10 - 16.5	65 oz.	Pivot 11.2 - 24.5	98 oz.	Tractor 18.4 - 38	258 oz.
		Skid Steer 12 - 16.5	82 oz.	Pivot 11.2 - 38	142 oz.	Tractor 520/85 - 46	349 oz.
		Skid Steer 14 - 17.5	105 oz.	Log Skidder 28 - 26	347 oz.	Haul Truck 27 - 49	504 oz.

OFF ROAD - LOW SPEED TIRES

Formula for tire sizes not found in this section... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 5 = Ounces Per Tire

4-IN RIMS	oz.	8-IN CONT'D	oz.	11-IN CONT'D	oz.	15-IN CONT'D	oz.	16-IN CONT'D	oz.	17.5-IN CONT'D	oz.	20-IN CONT'D	oz.	22.5-IN CONT'D	oz.		
2.50-4	4	21 x 12.00-8	37	23.5 x 8.00-11	35	9.50-15	57	6.50-16	37	255 / 60-17.5	55	38 x 18.00-20	111	455 / 55-22.5	128		
2.80-4	5	22 x 9.00-8	34	24 x 8.00-11	36	9.70-15	58	6.60-16	38	205 / 65-17.5	44	41 x 14.00-20	107	600 / 55-22.5	182		
3.40-4	6	22 x 10.00-8	36	24 x 9.00-11	39	10.00-15	61	7.00-16	41	225 / 65-17.5	49	42 x 25.00-20	155	225 / 60-22.5	58		
3.50-4	6	22 x 11.00-8	37	24 x 10.00-11	41	11.00-15	69	7.20-16	42	225 / 70-17.5	52	44 x 18.00-20	135	295 / 60-22.5	79		
4.10-4	8	22 x 12.00-8	39	25 x 8.00-11	39	12.00-15	77	7.50-16	44	255 / 70-17.5	60	44 x 41.00-20	231	315 / 60-22.5	86		
9 x 3.50-4	6	22.5 x 10.00-8	37	12-IN RIMS		12.20-15	79	8.00-16	48	215 / 75-17.5	51	47 x 25.00-20	179	500 / 60-22.5	153		
11 x 4.00-4	8	23 x 10.00-8	38	3.00-12	12	12.50-15	81	8.25-16	50	225 / 75-17.5	54	48 x 25.00-20	184	550 / 60-22.5	173		
5-IN RIMS		oz.	25 x 13.00-8	49	3.50-12	14	13.50-15	90	8.30-16	50	235 / 75-17.5	57	48 x 26.50-20	191	560 / 60-22.5	177	
3.40-5	7	125 / 75-8	0	4.00-12	17	14.50-15	100	9.00-16	55	18-IN RIMS		oz.	48 x 31.00-20	210	385 / 65-22.5	116	
3.50-5	7	150 / 75-8	0	4.50-12	19	18.25-15	138	9.50-16	59	4.00-18	23	50 x 20.00-20	172	425 / 65-22.5	131		
4.10-5	9	9-IN RIMS		oz.	4.80-12	21	21.50-15	175	10.00-16	63	6.00-18	37	500 / 45-20	116	445 / 65-22.5	139	
10.00 x 4.50-5	8	4.00-9	13	5.00-12	22	25.00-15	59	11.00-16	72	7.00-18	44	420 / 65-20	119	205 / 70-22.5	57		
10.5 x 5.00-5	9	4.80-9	17	5.30-12	23	300-15	75	11.20-16	73	7.50-18	48	300 / 70-20	82	255 / 70-22.5	73		
11 x 3.50-5	8	6.00-9	22	5.70-12	25	25 x 2.50-15	23	11.50-16	76	10.00-18	69	380 / 70-20	110	265 / 70-22.5	77		
11 x 4.00-5	8	6.90-9	26	6.00-12	26	25 x 7.50-15	36	12.40-16	84	10.50-18	73	400 / 70-20	118	275 / 70-22.5	80		
11 x 4.50-5	9	18 x 9.00-9	26	6.90-12	32	25 x 9.00-15	40	12.50-16	85	11.00-18	78	405 / 70-20	120	295 / 70-22.5	88		
11 x 6.00-5	10	18 x 11.00-9	29	7.00-12	33	25 x 10.50-15	44	13.50-16	94	12.00-18	87	375 / 75-20	114	315 / 70-22.5	95		
11 x 7.00-5	11	20 x 7.00-9	26	7.50-12	36	25 x 12.50-15	50	13.60-16	95	12.50-18	92	380 / 75-20	116	365 / 70-22.5	114		
11 x 7.50-5	12	20 x 11.00-9	34	8.30-12	41	27 x 7.50-15	41	18.40-16	145	13.00-18	97	420 / 75-20	133	245 / 75-22.5	73		
13 x 3.50-5	10	21 x 8.00-9	30	10.00-12	52	27 x 8.50-15	44	33 x 9.50-16	64	270 / 65-18	63	425 / 75-20	135	265 / 75-22.5	81		
13 x 5.00-5	12	21 x 9.00-9	32	12.00-12	67	27 x 9.50-15	47	320 / 65-16	72	320 / 65-18	78	11 / 80-20	82	280 / 75-22.5	86		
6-IN RIMS		oz.	21 x 11.00-9	36	13.00-12	75	27 x 10.50-15	50	280 / 70-16	64	340 / 65-18	84	13 / 80-20	102	295 / 75-22.5	92	
3.50-6	8	22 x 7.00-9	30	20 x 6.00-12	23	28 x 8.50-15	47	225 / 75-16	51	365 / 70-18	97	225 / 80-20	63	305 / 75-22.5	96		
4.00-6	10	22 x 10.00-9	36	22 x 7.50-12	31	28 x 9.00-15	48	245 / 75-16	57	400 / 70-18	110	280 / 80-20	83	335 / 80-22.5	73		
4.10-6	10	22 x 11.00-9	38	22 x 8.00-12	32	28 x 12.00-15	57	265 / 75-16	62	10.50 / 80-18	72	335 / 80-20	104	255 / 80-22.5	80		
5.30-6	14	22 x 12.00-9	40	23 x 7.50-12	33	28 x 13.00-15	59	215 / 85-16	53	12.50 / 80-18	90	340 / 80-20	106	275 / 80-22.5	88		
6.00-6	17	24 x 13.00-9	47	23 x 8.00-12	34	29 x 8.00-15	48	225 / 85-16	56	280 / 80-18	77	365 / 80-20	116	295 / 80-22.5	96		
6.90-6	21	25 x 11.00-9	45	23 x 8.50-12	35	29 x 9.00-15	51	235 / 85-16	59	335 / 80-18	97	380 / 80-20	122	310 / 80-22.5	102		
8.00-6	25	25 x 12.00-9	47	23 x 9.00-12	36	29 x 9.50-15	52	245 / 85-16	62	340 / 80-18	98	365 / 85-20	122	315 / 80-22.5	105		
12 x 6.00-6	12	25 x 13.00-9	49	23 x 9.50-12	37	29 x 10.00-15	54	255 / 85-16	66	19-IN RIMS		oz.	395 / 85-20	136	23.5-IN RIMS		
12 x 8.00-6	14	200 / 75-9	29	23 x 10.00-12	39	29 x 10.50-15	55	16.1-IN RIMS		oz.	4.00-19	24	20.5-IN RIMS		oz.	23.00-23.5	248
12 x 11.00-6	18	10-IN RIMS		oz.	23 x 10.50-12	40	29 x 12.00-15	59	11.00-16.1	72	6.00-19	39	24.00-20.5	243	24-IN RIMS		
13 x 5.00-6	12	3.00-10	10	23.5 x 11.00-12	42	29 x 12.50-15	61	13.50-16.1	94	19.5-IN RIMS		oz.	525 / 65-20.5	162	7.00-24	56	
13 x 6.00-6	13	3.50-10	12	24 x 9.00-12	39	29 x 14.00-15	65	13.60-16.1	95	7.00-19.5	47	21-IN RIMS		oz.	7.20-24	58	
13 x 6.50-6	14	4.50-10	17	24 x 12.00-12	46	29 x 15.50-15	70	14.00-16.1	99	8.00-19.5	56	5.00-21	34	7.50-24	61		
14 x 4.50-6	12	6.50-10	26	24 x 13.00-12	48	29 x 18.50-15	78	16.50-16.1	124	9.00-19.5	64	6.00-21	42	8.30-24	69		
14 x 6.00-6	14	7.00-10	29	25 x 8.00-12	39	30 x 8.00-15	51	18.40-16.1	145	9.50-19.5	69	12.00-21	97	9.00-24	76		
14 x 8.00-6	17	7.50-10	32	25 x 10.00-12	43	30 x 9.50-15	55	19.00-16.1	152	15.00-19.5	123	16.00-21	141	9.50-24	81		
15 x 6.00-6	16	9.00-10	40	26 x 12.00-12	51	31 x 10.50-15	61	21.50-16.1	182	16.50-19.5	140	21.00-21	204	10.00-24	86		
16 x 4.00-6	14	15.00-10	83	26.5 x 14.00-12	57	31 x 11.50-15	64	35 x 19.00-16.1	101	18.00-19.5	158	23.00-21	232	11.00-24	96		
16 x 4.50-6	15	20.50-10	135	27 x 10.00-12	48	31 x 12.50-15	67	38 x 19.00-16.1	113	19.50-19.5	176	24.00-21	247	11.20-24	98		
14.5 / 70-6	14	18 x 9.50-10	27	250 / 75-12	47	31 x 13.50-15	70	38 x 20.00-16.1	116	33 x 16.00-19.5	85	27.25-21	296	11.25-24	99		
7-IN RIMS		oz.	18 x 9.80-10	27	145 / 80-12	25	31 x 15.00-15	74	42 x 16.53-16.1	120	40 x 19.00-19.5	122	22-IN RIMS		oz.	11.40-24	101
4.50-7	13	18 x 10.00-10	28	155 / 80-12	27	31 x 15.50-15	76	45 x 18.42-16.1	140	435 / 50-19.5	102	7.50-22	57	11.50-24	102		
4.80-7	14	18 x 10.50-10	29	13-IN RIMS		oz.	32 x 9.50-15	61	45 x 21.50-16.1	152	445 / 55-19.5	112	8.50-22	66	12.00-24	107	
8-IN RIMS		oz.	18 x 11.00-10	30	155 / 80-13	29	32 x 11.50-15	67	14.5 / 75-16.1	97	385 / 65-19.5	104	9.50-22	75	12.40-24	112	
4.00-8	12	20 x 7.50-10	27	175 / 80-13	33	32 x 12.00-15	68	16.5-IN RIMS		oz.	445 / 65-19.5	126	10.00-22	80	13.00-24	118	
4.30-8	13	20 x 8.00-10	28	185 / 80-13	36	32 x 14.50-15	76	8.75-16.5	55	225 / 70-19.5	56	11.00-22	90	13.60-24	125		
4.80-8	15	20 x 10.00-10	32	14-IN RIMS		oz.	32 x 15.00-15	78	9.00-16.5	57	245 / 70-19.5	63	12.00-22	100	14.00-24	130	
5.00-8	16	20 x 11.00-10	34	4.00-14	19	33 x 12.00-15	72	10.00-16.5	65	265 / 70-19.5	69	22.5-IN RIMS		oz.	14.90-24	141	
5.70-8	19	20 x 12.00-10	36	6.00-14	30	33 x 12.50-15	73	12.00-16.5	82	285 / 70-19.5	75	8.00-22.5	62	15.00-24	142		
6.00-8	20	20 x 14.00-10	40	7.00-14	37	33 x 21.50-15	101	30.5 x 12.50-16.1	65	305 / 70-19.5	82	9.00-22.5	72	16.00-24	155		
18.50-8	104	20 x 20.00-10	52	7.50-14	40	35 x 12.50-15	80	31 x 10.50-16.5	80	31 x 10.50-16.5	81	10.00-22.5	62	16.50-24	161		
11 x 4.00-8	8	20.5 x 7.00-10	27	7.60-14	41	35 x 15.00-15	88	31 x 11.50-16.5	64	265 / 75-19.5	72	11.00-22.5	92	16.90-24	166		
16 x 5.00-8	16	20.5 x 8.00-10	29	8.00-14	43	36 x 11.00-15	78	31 x 12.00-16.5	65	285 / 75-19.5	79	11.50-22.5	97	17.50-24	174		
16 x 5.50-8	17	21 x 7.00-10	28	8.50-14	47	36 x 13.50-15	86	33 x 12.50-16.5	73	305 / 75-19.5	86	12.00-22.5	102	18.00-24	180		
16 x 6.50-8	18	21 x 8.00-10	30	9.00-14	50	38 x 16.00-15	102	33 x 14.50-16.5	80	20-IN RIMS		oz.	12.50-22.5	108	18.30-24	184	
16 x 7.50-8	20	21 x 9.00-10	32	9.50-14	54	350 / 65-15	77	33 x 15.00-16.5	81	7.00-20	48	13.00-22.5	113	18.40-24	186		
16.5 x 6.50-8	19	21 x 12.50-10	39	11.00-14	66	355 / 65-15	78	33 x 15.50-16.5	83	7.25-20	50	14.00-22.5	114	19.40-24	199		
18 x 6.00-8	21	22 x 7.00-10	30	13.00-14	82	215 / 70-15	44	35 x 14.50-16.5	86	7.50-20	53	15.00-22.5	126	19.50-24	201		
18 x 6.50-8	21	22 x 8.00-10	32	23 x 8.50-14	35	250 / 70-15	53	36.5									

OVER THE ROAD - HIGH SPEED TIRES

Formula for tire sizes not found on this page... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

8-IN RIMS	oz.	14-IN CONT'D	oz.	15-IN CONT'D	oz.	15-IN CONT'D	oz.	16-IN CONT'D	oz.	17-IN CONT'D	oz.	19.5-IN CONT'D	oz.	22.5-IN CONT'D	oz.
4.80-8	8	185 / 65-14	17	28 x 8.50-15	23	205 / 65-15	20	235 / 55-16	22	255 / 50-17	24	225 / 70-19.5	28	16.00-22.5	74
5.70-8	10	195 / 65 14	18	28 x 9.00-15	24	215 / 65-15	21	205 / 60-16	20	225 / 55-17	22	245 / 70-19.5	31	16.50-22.5	77
16.6 x 8.50-8	10	215 / 65-14	20	28 x 12.00-15	28	235 / 65-15	23	215 / 60-16	21	235 / 55-17	23	265 / 70-19.5	35	18.00-22.5	87
18.5 x 8.50-8	13	175 / 70-14	16	29 x 9.50-15	26	255 / 65-15	26	225 / 60-16	22	255 / 55-17	25	285 / 70-19.5	38	425 / 50-22.5	55
18.5 x 9.50-8	14	185 / 70-14	17	29 x 10.00-15	27	185 / 70-15	18	235 / 60-16	23	255 / 60-17	27	305 / 70-19.5	41	445 / 50-22.5	59
9-IN RIMS	oz.	195 / 70-14	19	29 x 12.50-15	31	195 / 70-15	19	215 / 65-16	22	275 / 60-17	29	445 / 70-19.5	67	455 / 55-22.5	64
6.90-9	13	205 / 70-14	20	30 x 9.50-15	28	205 / 70-15	21	275 / 65-16	30	235 / 65-17	26	245 / 75-19.5	33	225 / 60-22.5	29
10-IN RIMS	oz.	215 / 70-14	21	31 x 10.50-15	31	215 / 70-15	22	215 / 70-16	23	275 / 65-17	31	265 / 75-19.5	36	295 / 60-22.5	40
6.50-10	13	225 / 70-14	22	31 x 11.50-15	32	225 / 70-15	23	225 / 70-16	24	265 / 70-17	31	285 / 75-19.5	40	315 / 60-22.5	43
7.00-10	15	235 / 70-14	23	31 x 12.50-15	34	235 / 70-15	24	235 / 70-16	26	17.5-IN RIMS	oz.	305 / 75-19.5	43	385 / 65-22.5	58
7.50-10	16	245 / 70-14	25	31 x 13.50-15	35	245 / 70-15	26	245 / 70-16	27	7.00-17.5	22	7.00-17.5	22	425 / 65-22.5	68
20.5 x 8.00-10	15	175 / 75-14	17	31 x 15.00-15	37	255 / 70-15	0	255 / 70-16	28	7.50-17.5	24	7.50-20	26	445 / 65-22.5	70
205 / 50-10	12	185 / 75-14	18	32 x 9.50-15	31	265 / 70-15	28	265 / 70-16	30	8.00-17.5	26	8.00-20	29	205 / 70-22.5	37
12-IN RIMS	oz.	195 / 75-14	19	32 x 11.50-15	34	275 / 70-15	30	275 / 70-16	31	9.00-17.5	31	8.25-20	30	255 / 70-22.5	39
4.80-12	10	205 / 75-14	21	32 x 12.00-15	34	195 / 75-15	20	280 / 70-16	32	10.00-17.5	34	9.00-20	33	265 / 70-22.5	39
5.30-12	12	215 / 75-14	22	32 x 15.00-15	39	205 / 75-15	22	205 / 75-16	23	11.00-17.5	38	10.00-20	37	275 / 70-22.5	40
6.90-12	16	225 / 75-14	23	33 x 12.00-15	36	215 / 75-15	23	225 / 75-16	26	14.00-17.5	52	10.30-20	39	295 / 70-22.5	44
23.5 x 8.50-12	18	14.5-IN RIMS	oz.	33 x 12.50-15	37	225 / 75-15	24	235 / 75-16	27	15 / 75-17.5	27	10.50-20	40	315 / 70-22.5	48
13-IN RIMS	oz.	7.00-14.5	19	35 x 15.00-15	44	235 / 75-15	26	245 / 75-16	28	235 / 75-17.5	29	11.00-20	42	365 / 70-22.5	57
6.00-13	14	8.00-14.5	22	36 x 11.00-15	39	265 / 75-15	30	265 / 75-16	31	18-IN RIMS	oz.	11.50-20	45	245 / 75-22.5	37
6.50-13	16	9.00-14.5	26	36 x 13.50-15	43	365 / 80-15	48	155 / 80-16	17	7.00-18	22	12.00-20	47	265 / 75-22.5	40
7.00-13	18	15-IN RIMS	oz.	38 x 16.00-15	51	175 / 85-15	20	215 / 85-16	26	8.25-18	27	13.00-20	52	295 / 75-22.5	46
14-IN RIMS	oz.	4.00-15	10	195 / 50-15	16	205 / 85-15	24	225 / 85-16	28	10.00-18	35	14.00-20	57	305 / 75-22.5	48
6.45-14	17	4.40-15	11	205 / 50-15	17	205 / 50-15	17	235 / 85-16	30	335 / 30-18	27	16.00-20	68	235 / 80-22.5	37
7.00-14	18	5.00-15	13	225 / 50-15	19	6.00-16	17	245 / 85-16	31	245 / 35-18	20	275 / 35-20	25	255 / 80-22.5	40
7.35-14	20	5.70-15	15	245 / 50-15	21	6.50-16	19	255 / 85-16	33	285 / 35-18	24	245 / 40-20	24	275 / 80-22.5	44
7.75-14	21	5.90-15	16	265 / 50-15	23	7.00-16	20	16.5-IN RIMS	oz.	225 / 40-18	20	295 / 40-20	29	295 / 80-22.5	48
7.90-14	21	6.00-15	16	275 / 50-15	24	7.50-16	22	8.00-16.5	25	245 / 40-18	21	280 / 70-20	38	305 / 80-22.5	50
8.25-14	23	6.70-15	18	295 / 50-15	26	8.00-16	24	8.75-16.5	27	255 / 40-18	22	300 / 70-20	41	315 / 80-22.5	52
8.55-14	24	6.85-15	19	305 / 50-15	27	8.25-16	25	9.50-16.5	30	265 / 40-18	24	225 / 80-20	32	275 / 95-22.5	50
11.00-14	33	7.00-15	19	325 / 50-15	29	9.00-16	28	10.00-16.5	33	275 / 40-18	25	335 / 80-20	52	24-IN RIMS	oz.
225 / 50-14	18	7.10-15	20	195 / 55-15	17	10.00-16	32	12.00-16.5	41	295 / 45-18	28	365 / 80-20	58	10.00-24	43
245 / 50-14	20	7.35-15	21	205 / 55-15	18	11.00-16	36	17-IN RIMS	oz.	365 / 70-18	49	365 / 85-20	61	11.00-24	48
265 / 50-14	22	7.50-15	21	225 / 55-15	20	205 / 40-16	16	7.00-17	21	400 / 70-18	55	395 / 85-20	68	12.00-24	54
255 / 55-14	22	7.60-15	22	255 / 55-15	23	245 / 45-16	21	285 / 35-17	23	335 / 80-18	48	22-IN RIMS	oz.	13.00-24	59
175 / 60-14	15	7.75-15	22	185 / 60-15	17	265 / 45-16	23	315 / 35-17	26	340 / 80-18	49	10.00-22	40	14.00-24	65
185 / 60-14	16	8.25-15	24	195 / 60-15	18	195 / 50-16	17	335 / 35-17	17	19-IN RIMS	oz.	11.00-22	45	24.5-IN RIMS	oz.
195 / 60-14	17	8.55-15	25	205 / 60-15	19	205 / 50-16	18	245 / 40-17	18	255 / 40-19	20	12.00-22	50	11.00-24.5	49
205 / 60-14	18	8.85-15	26	215 / 60-15	20	225 / 50-16	20	275 / 40-17	23	19.5-IN RIMS	oz.	22.5-IN RIMS	oz.	12.00-24.5	55
215 / 60-14	19	9.00-15	27	225 / 60-15	21	235 / 50-16	21	285 / 40-17	24	8.00-19.5	28	8.00-22.5	31	13.50-24.5	63
225 / 60-14	20	10.00-15	30	235 / 60-15	22	245 / 50-16	22	225 / 45-17	22	15.00-19.5	62	9.00-22.5	36	285 / 75-24.5	47
235 / 60-14	21	11.00-15	34	245 / 60-15	23	255 / 50-16	23	235 / 45-17	21	16.50-19.5	70	10.00-22.5	41	295 / 75-24.5	49
245 / 60-14	22	12.00-15	39	255 / 60-15	24	265 / 50-16	24	245 / 45-17	22	18.00-19.5	79	11.00-22.5	46	305 / 75-24.5	51
255 / 60-14	23	25 x 7.50-15	18	265 / 60-15	26	275 / 50-16	25	255 / 45-17	23	19.50-19.5	88	11.50-22.5	49	355 / 75-24.5	62
265 / 60-14	24	25 x 10.50-15	22	275 / 60-15	27	295 / 50-16	27	305 / 45-17	28	435 / 50-19.5	51	12.00-22.5	51	275 / 80-24.5	47
275 / 60-14	25	25 x 12.50-15	25	295 / 60-15	29	205 / 55-16	19	315 / 45-17	29	445 / 55-19.5	56	12.50-22.5	54	285 / 80-24.5	49
165 / 65-14	14	27 x 9.50-15	24	185 / 65-15	17	215 / 55-16	20	215 / 50-17	20	385 / 65-19.5	52	13.00-22.5	57	25-IN RIMS	oz.
175 / 65-14	15	27 x 10.50-15	25	195 / 65-15	19	225 / 55-16	21	245 / 50-17	23	445 / 65-19.5	63	15.00-22.5	68	14.00-25	67

MOTORCYCLE / DIRT BIKE TIRES

Formula for tire sizes not found on this page... Tire Height (in.) x Full Tire Width (in.) ÷ (divided by) 10 = Ounces Per Tire

4-IN RIMS	oz.	12-IN CONT'D	oz.	15-IN CONT'D	oz.	16-IN CONT'D	oz.	17-IN CONT'D	oz.	18-IN RIMS	oz.	18-IN CONT'D	oz.	19-IN CONT'D	oz.
3.00-4	3	120 / 90-12	11	180 / 70-15	18	100 / 80-16	10	190 / 55-17	18	2.50-18	7	130 / 70-18	14	120 / 70-19	14
8-IN RIMS	oz.	60 / 100-12	5	200 / 70-15	20	120 / 80-16	13	200 / 55-17	19	2.75-18	8	140 / 70-18	15	110 / 80-19	13
3.00-8	4	80 / 100-12	7	140 / 80-15	14	130 / 80-16	14	120 / 60-17	11	3.00-18	9	150 / 70-18	17	90 / 90-19	11
3.50-8	5	110 / 100-12	11	150 / 80-15	16	150 / 80-16	16	130 / 60-17	12	3.25-18	9	100 / 80-18	11	100 / 90-19	13
4.00-8	6	13-IN RIMS	oz.	160 / 80-15	17	160 / 80-16	18	150 / 60-17	14	3.50-18	10	110 / 80-18	13	110 / 90-19	14
10-IN RIMS	oz.	150 / 70-13	13	170 / 80-15	18	90 / 90-16	10	160 / 60-17	16	4.00-18	12	120 / 80-18	14	120 / 90-19	16
2.50-10	4	110 / 90-13	11	130 / 90-15	14	100 / 90-16	11	170 / 60-17	11	4.10-18	12	130 / 80-18	15	70 / 100-19	9
2.75-10	5	14-IN RIMS	oz.	140 / 90-15	16	110 / 90-16	12	120 / 65-17	12	4.25-18	13	140 / 80-18	17	90 / 100-19	12
3.00-10	5	2.25-14	5	150 / 90-15	17	120 / 90-16	14	110 / 70-17	11	4.35-18	13	4.25/85-18	13	110 / 100-19	15
3.50-10	6	2.50-14	6	16-IN RIMS	oz.	130 / 90-16	15	120 / 70-17	12	4.50-18	13	90 / 90-18	11	20-IN RIMS	oz.
4.00-10	7	3.00-14	7	2.50-16	6	140 / 90-16	16	130 / 70-17	13	4.60-18	14	100 / 90-18	12	220 / 50-20	23
6.70-10	14	3.60-14	9	2.75-16	7	90 / 100-16	11	140 / 70-17	15	5.10-18	16	110 / 90-18	14	90 / 100-20	13
19 x 6.00-10	11	4.10-14	10	3.00-16	8	17-IN RIMS	oz.	150 / 70-17	16	5.30-18	16	120 / 90-18	15	21-IN RIMS	oz.
19 x 7.00-10	12	160 / 60-14	13	3.25-16	9	2.25-17	6	160 / 70-17	17	5.60-18	17	130 / 90-18	17	2.75-21	9
24 x 11.00-10	22	140 / 70-14	13	3.50-16	9	2.50-17	7	140 / 75-17	15	9.00-18	10	80 / 100-18	10	3.00-21	10
80 / 90-10	6	150 / 70-14	14	5.00-16	14	2.75-17	8	80 / 80-17	9	280 / 35-18	24	90 / 100-18	12	3.25-21	11
90 / 90-10	7	120 / 80-14	11	85.00-16	9	3.00-17	8	100 / 80-17	11	300 / 35-18	25	100 / 100-18	13	90.00-21	12
110 / 90-10	9	180 / 80-14	18	90.00-16	9	3.50-17	10	110 / 80-17	12	210 / 40-18	18	110 / 100-18	15	120 / 70-21	15
120 / 90-10	10	60 / 100-14	6	240 / 50-16	21	4.60-17	13	120 / 80-17	13	240 / 40-18	21	120 / 100-18	16	80 / 8	